

EQUIPMENT CATALOGUE



01/07/2020


Code Model (Manufacturer) 01/07/2020


Size Description


P 1100 M	BASIC (Lanex)	
M-XL (XXL)	Basic harness back, chest (2x1/2) attachment point	

P 1102 M	LX 2 (Lanex)	
M-XL (XXL)	Basic harness with belt back, chest (2x1/2), 2 x side attachment point	

P 1105 M	LX 7 MASTER (Lanex)	
M-XL (XXL)	Multipurpose harness back, chest, central, 2 x side attachment point	

PS 11205	VOLT (Petzl)	
(0) 1 (2)	Compound harness back, chest (2x1/2), central (2x1/2), 2 x side attachment point, quick buckles	


PS 11147	AVAO BOD FAST (Petzl)	
(0) 1 (2)	Multipurpose harness back, chest, central, 2 x side attachment point, quick buckles	


PS 11161	ASTRO BOD FAST (Petzl)	
(0) 1 (2)	Multipurpose harness + ascender back, chest, central, 2 x side attachment point, quick buckles + integrated chest ascender	


Code Model (Manufacturer) 01/07/2020


Size Description


PS 11214	ADVENTURE Classic (Vertiqual)		
(S-M)	Basic harness		
M-L	back, chest		
(L-XL)	attachment point		

PS 11211	ORBITER Evo (Vertiqual)		
(S-M)	Compound harness		
M-L	back, chest, central, 2 x side		
(L-XL)	attachment point, quick buckles		

PS 11215	EQUINOX Galaxy (Vertiqual)		
(S-M)	Multipurpose harness		
M-L	back, chest, central, 2 x side		
(L-XL)	attachment point, quick buckles		


PS 11187	Vest Harness (3M)		
(S)	Basic harness		
M-L	back, chest attachment point,		
(XL)	quick buckles		


PS 11218	Vest Rescue Harness (3M)		
(S)	Basic harness		
M-L	back, chest attachment point,		
(XL)	rescue straps		


P 2401 M	IGNITE PROTON (Skylotec)		
(XS-M)	Compound harness		
M-XXL	back, chest, central, 2 x side		
(XXL-5XL)	attachment point, quick buckles		


Code Model (Manufacturer) 01/07/2020

Size Description

UZ 1122		LB 10 (Lanex)	
200 cm (diff. length)	Single adjustable lanyard adjusting ring		
2 pcs	Snap hook	two-side mechanism	Fe
1 pc	Adjustable (l) lanyard	semi-static rope	12 mm

UZ 1201		PROT 11 (Lanex)	
200 cm (diff. length)	Positioning lanyard length adjuster		
1 pc	Karabiner oval	screw lock	Fe
1 pc	Snap hook	two-side mechanism	Fe
1 pc	Single (l) lanyard	semi-static rope	12 mm
1 pc	Length adjusting device		Fe
1 pc	Protecting cover tube		

UZ 1301		PROT 3 (Lanex)	
200 cm (diff. length)	Positioning lanyard length adjuster		
1 pc	Karabiner oval	screw lock	Fe
1 pc	Snap hook	two-side mechanism	Fe
1 pc	Single (l) lanyard	semi-static rope	14 mm
1 pc	Length adjusting device		Al
1 pc	Protecting cover tube		

UZ 11111		ENDURANCE (Vertiqual)	
200 cm (150 cm)	Positioning lanyard length adjuster		
1 pc	Karabiner oval	3 act	Fe
1 pc	Snap hook	two-side mechanism	Fe
1 pc	Single (l) lanyard	twisted rope	16 mm
1 pc	Length adjusting device		Fe
1 pc	Protecting cover tube		



Code Model (Manufacturer) 01/07/2020

Size Description

UZ 1501		ABM L (Lanex)	
200 cm (diff. length)	Single fall arrest lanyard opening max. 50 mm		
1 pc	Snap hook	two-side mechanism	Fe
1 pc	Scaffold hook	two-side mechanism	50 mm Fe
1 pc	Single (I) lanyard	semi-static rope	10.5 mm
1 pc	Energy absorber		


UZA 11121		ABM LE (Lanex)	
200 cm (diff. length)	Single extens. fall arrest lanyard opening max. 50 mm		
1 pc	Snap hook	two-side mechanism	Fe
1 pc	Scaffold hook	two-side mechanism	50 mm Fe
1 pc	Single (I) lanyard	extensible strap	
1 pc	Energy absorber		


UZ 1603		ABM 2L (Lanex)	
150 cm (diff. length)	Twin fall arrest lanyard opening max. 60 mm		
1 pc	Snap hook	two-side mechanism	Fe
2 pcs	Scaffold hook	two-side mechanism	60 mm Al
1 pc	Twin (Y) lanyard	semi-static rope	10.5 mm
1 pc	Energy absorber		


UZA 11120		ABM 2LE (Lanex)	
200 cm (diff. length)	Twin extens. fall arrest lanyard opening max. 60 mm		
1 pc	Snap hook	two-side mechanism	Fe
2 pcs	Scaffold hook	two-side mechanism	60 mm Al
1 pc	Twin (Y) lanyard	extensible strap	
1 pc	Energy absorber		


Code Model (Manufacturer) 01/07/2020

Size Description

UZA 11140 MAVERICK (VertiquaL)					
200 cm (150 cm)	Single absorbing extens. lanyard opening max. 60 mm				
1 pc	Karabiner with eyelet	3 act		Al	
1 pc	Scaffold hook	two-side mechanism	60 mm	Al	
1 pc	Single (I) lanyard	extensible tube webbing	45 mm		
1 pc	Energy absorber	inside tube webbing			

UZA 11141 GEKKO (VertiquaL)					
150 cm (200 cm)	Twin fall arrest lanyard edge > 0.5 mm opening max. 60 mm				
1 pc	Karabiner with eyelet	3 act		Al	
2 pcs	Scaffold hook	two-side mechanism	60 mm	Al	
2 pcs	Single (I) lanyard	semi-static rope	12 mm	edge test	
1 pc	Energy absorber				

UZA 11143 VARAN - R web (VertiquaL)					
200 cm	Twin extens. fall arrest lanyard RSQ loop opening max. 60 mm				
1 pc	Karabiner with eyelet	3 act		Al	
2 pcs	Scaffold hook	two-side mechanism	60 mm	Al	
2 pcs	Single (I) lanyard	extensible strap	35 mm	RSQ loop	
1 pc	Energy absorber (ring)				

UZ 11139 ABSORBICA - Y (Petzl)					
200 cm	Twin extens. fall arrest lanyard opening max. 60 mm				
2 pcs	Scaffold hook	two-side mechanism	60 mm	Al	
2 pcs	Single (I) lanyard	extensible strap			
1 pc	Energy absorber				

Code	Model (Manufacturer)	01/07/2020
------	----------------------	------------

Size	Description
------	-------------

BST 1212		PROTEKTOR mini (Lanex)		
235 cm	Retractable lanyard (webbing)			
1 pc	Snap hook with swivel	two-side mechanism	Al	
1 pc	Scaffold hook (50 mm)	two-side mechanism	Fe	
1 pc	Energy absorber			
1 pc	Housing with swivel	plastic		

BST 11117		Nano-Lok (3M)		
200 cm	Retractable lanyard (webbing) foot-level anchoring allowed			
1 pc	Karabiner oval	3 act	Fe	
1 pc	Scaffold hook (60 mm)	two-side mechanism	Al	
1 pc	Energy absorber			
1 pc	Housing with swivel	plastic		


BST 4802		Rebel (3M)		
6 m (3.3 m)	Retractable line (webbing)			
1 pc	D karabiner	twist lock	Fe	
1 pc	Snap hook	two-side mechanism	Fe	
1 pc	Energy absorber			
1 pc	Housing with swivel	plastic		


BST 11136		CR 250 (Lanex)		
15 m (diff. length)	Retractable line (wire rope)			
1 pc	Snap hook with swivel	two-side mechanism	Al	
1 pc	Housing with swivel	plastic		


BST 11144		HSG HK plus (Skylotec)		
15 m (diff. length)	Retractable line (wire rope) horizontal use allowed edge > 0.5 mm allowed			
1 pc	Snap hook with swivel	two-side mechanism	Fe	
1 pc	Housing	plastic		


Code Model (Manufacturer) 01/07/2020

Size Description

LN 11127		MAGIC (Skylotec)				
10 m (diff. length)	Guideline with fall arrester semi-static rope 12 mm			12 mm		
1 pc	Guideline			semi-static rope	Al	
1 pc	Fall arrester - stoper					
1 pc	Connection strap					
2 pcs	Karabiner with eyelet			3 act	Fe	

L 1112		LANOSTOP (Lanex)				
10 m (diff. length)	Guideline with fall arrester semi-static rope 12 mm			12 mm		
1 pc	Guideline			semi-static rope	Fe	
1 pc	Fall arrester - stoper					
1 pc	Energy absorber					
2 pcs	Snap hook			two-side mechanism	Fe	


L 1204		AE 320 (Lanex)				
20 m (10 m)	Horizontal anchor line 3 persons			35 mm		
1 pc	Line (webbing)				Fe	
1 pc	Tensioning device					
2 pcs	Snap hook with swivel			two-side mechanism	Fe	
1 pc	Bag					


L 11117		GRILLON (Petzl)				
10 m (diff. length)	Positioning / anchor line 1 person			12 mm		
1 pc	Line			semi-static rope	Al	
1 pc	Regulator					


Code Model (Manufacturer) 01/07/2020


Size Description


ST 2101	ROCKER (Skylotec)	
	Fall arrester / rope grab 10.5 - 12.7 mm	


ST 11122	ASAP (Petzl)	
	Fall arrester for rope 10.0 - 13.0 mm	

KT 3402	JAG SYSTEM (Petzl)	
100 cm	Pulley system (4 : 1) with clamp karabiner x 2	

SP 11121	I'D (Petzl)	
	Descender with brake and anti-panic function for rope 10.0 - 11.5 mm	

KT 3104	PRO TRAXION (Petzl)	
	Pulley with clamp for rope 8.0 - 13.0 mm, WLL 2.5 kN	

KT 3201	RESCUE (Petzl)	
	Pulley (single) for rope 7.0 - 13.0 mm, WLL 4 kN	

KT 5601	Omni - Block 1.5 (Rock Exotica)	
	Pulley (single) with swivel for rope \leq 13.0 mm, MBS 36 kN	

KT 5603	Omni - Block 1.5 D (Rock Exotica)	
	Pulley (double) with swivel for rope \leq 13.0 mm, MBS 36 kN	

KT 11123	CSR 2 (CMC)	
	Pulley (double) with swivel / Descender with brake for rope \leq 13.0 mm, MBS 46 kN	

Code	Model (Manufacturer)	01/07/2020
------	----------------------	------------

Size	Description	
------	-------------	--

UZE *	TENDON STATIC (Lanex)	
* 1101	Semi-static rope 11 mm	
* 1102	Semi-static rope 10,5 mm	




OM *	TENDON SLING (Lanex)	
* 11134	Sling 60 cm	
* 11140	Sling 120 cm	
* 11141	Sling 180 cm	

OM *	LOOP 35 kN (Skylotec)	
* 2203	Sling 35 kN 80 cm	
* 2206	Sling 35 kN 150 cm	

OM *	LISKO - X (Vertiqual)	
* 11133	Sling with eyelet 80 cm	
* 11127	Sling with eyelet 160 cm	

OM *	FLEX - RR (Vertiqual)	
* 11126	Anchor choke strap 100 cm	
* 11148	Anchor choke strap 150 cm	

OM *	AZ 01 (Lanex)	
* 11116	Wire anchor lanyard 100 cm	
* 11117	Wire anchor lanyard 200 cm	

KN 11128	AN 0223 (Vertiqual)		
	Karabiner, oval, Fe, screw lock		
KN 11136	MA 0224 (Vertiqual)		
	Karabiner, oval, Fe, twist lock		
KN 11139	KA 0424 (Vertiqual)		
	Karabiner 30 kN, oval, Fe, 3act		

Code Model (Manufacturer) 01/07/2020

Size Description

UZ 1112	BEAR 30 (Vertiqual)	
50 cm	Tightening positioning lanyard	

AE 1113	ASAP'SORBER (Petzl)	
40 cm (20 cm)	Connecting energy absorber (for ASAP)	

OM 1142	QUICKDRAW SLING (Lanex)	
20 cm (10 cm)	Connecting sling (for ROCKER)	

PS 1188	Extension Strap (3M)	
40 cm	Connecting strap	

TR 1102	TA 501 30 (Lanex)	
10 L (25 L)	Transport basket plastic base	

TR 1106	AX 011K red (Lanex)	
50 L	Transport bag shoulder straps, red	

TR 5201	V - BAG (Radis)	
10 L	Tool bag	

TR 1119	GT-SK2 (HP-TEC)	
10 L	Tool bag	

KC 5403	HEIGHT ENDURANCE (Portwest)	
56 - 63 cm	Helmet for work at height, HI-VIS	

Code Model (Manufacturer) 01/07/2020

Size Description

OKN

Tripods
Winches
SRLs with winch

NP

Rescue devices
Evacuation devices
Boxes

NSL

Stretchers
Immobilization equipment
Suspension equipment

SDR / STS...

Anchor equipment
Structural anchors
Anchor dead-weights

SLH / SLV...

Horizontal anchor lines
Vertical guidelines

TL

Telescopic poles
Anchor connectors

PB

Tool connection lanyards
Device holsters
Head lamps